



Block ball valve for high-pressure acetylene SBAC-C, steel, TPED

With female and male thread

DN 06 / DN 10 mm PN 25 bar

Series 03 – male thread on both sides for non-soldering compression fittings with cutting ring DIN 2353 – heavy-duty series
06 – female thread on both sides DIN ISO 228-1

Temperature range Permissible operating temperatures: -20°C to +65°C

Range of use Ball valve type SBAC-C in the nominal widths of DN 6 and DN 10 is approved for high-pressure acetylene PN 25 as a bundle/in-line valve according to the following standards and directives marked with π , followed by the identification number of the notifying authority: Directive 2010/35/EU about transportable pressure equipment (TPED) Type examination ADR

Approvals Directive 2010/35/EU about transportable pressure equipment (TPED) Type examination ADR


Technical specification Ball valve type SBAC-C is intended for throughflow and/or shutoff by means of 90° operation of the actuating element for the medium of acetylene with the pressure rating PN 25. The design consists of a block body with connector screwed in on both sides. The stem is fitted blowout-proof from the outside.

Option



Safety locking handle, engaging and lockable as an alternative to the hand lever.

Technical data SBAC-C



Series 03 (male thread on both sides for non-soldering compression fittings with cutting ring DIN 2353 – heavy-duty series)

Type	DN mm	PN bar	D/RA	i mm	L mm	B mm	H mm	h mm	Hg mm	R mm	SW1 mm	Weight kg
SBAC-C 1303	10	25	M 24x1.5/RA16-S	14	102	35	45	18	85	130	10	1.0
SBAC-C 1303-LH	10	25	M 24x1.5/RA 16-S	14	103	35	45	18	-	-	-	0.9
			M 28x1.5 LH/RA 16-S	18	103	35	45	18	-	-	-	0.9

Series 06 (female thread on both sides DIN ISO 228 - 1)

Type	DN mm	PN bar	D	i mm	L mm	B mm	H mm	h mm	Hg mm	R mm	SW1 mm	Weight kg
SBAC-C 1006	6	25	G3/8"	12.5	80	30	40	15	92	112	10	0.5
SBAC-C 1306	10	25	G1/2"	14.5	100	35	45	18	85	130	10	1.0

Please ask separately for requirements that exceed the standard conditions of use listed in this data sheet.

As a matter of principle, the safety information provided in the operating and servicing manual must be observed!

The operating and servicing manuals as well as the approval certificates can be downloaded at www.von-scheven.de.

We reserve the right to carry out technical modifications.